The image shows a modern interior space with a white wall and a light-colored floor. The ceiling is the focal point, featuring a series of dark, wavy, fabric-like acoustic panels suspended from a white grid. The panels are arranged in a staggered pattern, creating a rhythmic, undulating effect. Below the ceiling, the room is furnished with minimalist wooden tables and chairs. A round wooden table in the foreground holds a glass of water and a blue water bottle. Another similar table is visible in the background. To the right, a potted plant with large green leaves adds a touch of nature to the scene. The overall aesthetic is clean, bright, and contemporary.

ARO Grid 5

Acoustic Ceiling System



ARO Grid 5 swoops in to save the day.

ARO Grid 5 features dramatic, swooping panels that mimic the soft, undulating quality of fabric canopies. One standard module size keeps it simple but allows for sculptural patterning that installs in a snap. Panels are lightweight and pair the softness of drapery with powerful acoustic performance.


ARO Grid 5 was designed by Architecture Research Office (ARO), a New York based firm dedicated to architecture that unites beauty and form with strategy and intelligence.






"We strive to convey a sense of calm, warmth, and joy in our product designs as well as through the architecture we design. We take inspiration from both material expression and functionality. We work to elevate spaces through careful attention to detail and use, and to emphasize the responsible use of materials and seek to balance beauty and strategy through design, pattern and texture."


– Architecture Research Office, designers of ARO Grid 5




Perspective View






Reflected Ceiling Plan



Front Elevation





Side Elevation



Suggested Pattern 5.1
Rotated 0° in 1-Color

For all suggested patterns, please refer to the ARO Grid Pattern Book

info@filzfelt.com | [filzfelt.com](https://www.filzfelt.com)




Suggested Pattern 5.2

Rotated 0° + Staggered in 1-Color

For all suggested patterns, please refer to the ARO Grid Pattern Book

info@filzfelt.com | filzfelt.com




Suggested Pattern 5.3

Rotated 0° (A) + 90° (B) in 1-Color

For all suggested patterns, please refer to the ARO Grid Pattern Book

info@filzfelt.com | filzfelt.com





Suggested Pattern 5.4

Rotated 0° (A) + 90° (B) in 1-Color

For all suggested patterns, please refer to the ARO Grid Pattern Book

info@filzfelt.com | filzfelt.com




Suggested Pattern 5.5

Rotated 0° (A) + 90° (B) in 1-Color

For all suggested patterns, please refer to the ARO Grid Pattern Book

info@filzfelt.com | filzfelt.com

Product	ARO Grid 5
Designer	Architecture Research Office
Content	Akustika 10 (60% post-consumer recycled content)
Standard Size	4'-0" x 2'-0" x 8 3/4" (122 x 61 x 22.2 cm)
Color Options	1-Color or 2-Color per ceiling
Open Area	27.1%
Custom	3-Color per ceiling must be quoted
Lead Time	Made to order and certain lead times will apply
Installation	Fit in standard 2x2 or 2x4 ACT suspended ceiling grid, depending on pattern. Refer to ARO Grid 5 Installation Instructions for complete guidance.
Maintenance	Vacuum occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water.
Variation	Color variation is evidence of the manufacturing process of the material. Product color is only indicative, as it is not possible to assure consistency of color due to the deliberate mixture of colors in the dyed fibers. Color matching cannot be guaranteed on shipments and variation will be more pronounced beyond the normal commercial range.
Environmental	60% post-consumer recycled content, 100% recyclable, contains no formaldehyde, 100% VOC free, no chemical irritants, and free of harmful substances Akustika 10 contributes to LEED® Download Declare Label Living Building Challenge Compliant Oeko-Tex® Standard 100 Certified Product Class II Meets VOC test limits for the CDPH v1.2 method
Acoustics	ASTM C 423: NRC – 0.80, SAA – 0.77
Colorfastness to Light	Class 5 (72 hours)
Flammability	Test reports available upon request
Standard Colors	



05 Ice



02 Medium Grey



03 Dark Grey